





Planed boards, planks and battens

Our planed boards, planks and battens are ideal for a stylish surface of a deck, dock, or a fence. Planed boards are available in different surface profiles. A surface profile gives an attractive look and feel to a variety of constructions. For example, grooved surfaces are not slippery and make a safe choice for docks.

If you are looking for additional sturdiness and durability for your deck, the best choice is a 45 mm planed plank. Planed products give an attractive look to various outdoor constructions and fences. We also offer a wide range of battens that can be used for decorative purposes.

PrimaTimber's impregnated planed products are used in wooden constructions above ground level. These products are impregnated in class AB.









Sawn boards, planks and battens

Our sawn timber products are ideal for fences and trellises, especially if you plan to paint them because paint adheres well on rough surfaces.

Sawn wood is also a good choice for docks that do not need a sleek and finished look. Sawn wood is practical and safe thanks to its rough surface that is not slippery. We recommend thick sawn boards for dock decking.

Our impregnated sawn timber is used in wooden constructions above ground level and impregnated in class AB.

Frame materials

A carefully built frame is the key for long lasting, safe, and beautiful decks, docks, and stairs. Sawn dimensional planks, beams and gluelam beams are ideal for building a strong foundation.

If you choose to use planed materials for a frame, use accurate dimension planks. The surface is roughly planed, and the price remains moderate. In case your dock is large and you require longer than regular lengths, finger jointed joists are a good choice.

If your deck or dock requires a smart final touch, use planed, gluelam timber. Gluelam posts, for example, make excellent and strong railing posts. Gluelam products are composed of wood laminations that are bonded together. This ensures superior stiffness and durability.

PrimaTimber frame materials are impregnated in class A. They are suitable for constructions in contact with water or the ground. Gluelam timber products are impregnated in class AB.









Fence posts

Fence posts are suitable for all kinds of fencing, agricultural constructions, and supports. Fence posts come in different sizes and can be used for diverse purposes.

Our impregnated fence posts are sturdy and endure harsh weather conditions. Fence posts are available unsharpened and sharpened, the latter being easy to set in the ground.

PrimaTimber fence posts are impregnated in class A, due to the contact to the ground, and they have a long life-span.



BUILDING GUIDES AND IDEAS ▶ WWW.PRIMATIMBER.FI/EN





PrimaTimber - Treated timber with long traditions

Iivari Mononen Oy's origins date back to the 1950s when Iivari Mononen started his timber business in Ilomantsi in eastern Finland. Iivari was hard working and well-known for his trustworthiness among the local forest owners and customers.

The company focused first on pole business. Over the decades, its product portofolio expanded to include impregnated timber products, such as decking boards. This was the start of PrimaTimber Oy established in Joensuu in 2003. PrimaTimber is proud to continue the tradition of high expertise and superior quality in impregnated timber business.

PrimaTimber's impregnated timber comes from Nordic pines, grown in harsh weather conditions that make the wood remarkably strong. All timber we use is supplied by our reliable, responsible, and long-lasting partners. Our quality products are impregnated with the highest professional skill.

With high quality materials, you can reach results that exceed your expectations.





Certified timber of superior quality

Wood treated in **class AB** is suitable for building above the ground. It is used for example for docks and decking which do not have a direct contact with the ground. You recognize AB treated wood from a vellow tab.

Products that are more than 48 mm thick are treated in class A. They are suitable for contact with ground or water. For example, wooden pillars and frame timber are treated in class A which you recognize from a white tab on the wood.

In addition to impregnated timber products, our portfolio includes other sawn timber. CE marked spruce timber, that is classified building timber, and other planed timber products form a high-quality product range. We are happy to serve our customers with such a wide array of superior products.









Profiles

Boards and planks Smooth Pearl ~~~~~ Wave Combed ~~~~~~ ~~~~~ Deck

Shades



Battens



Products

Planed boards, planks, and battens

| Boards | 21 × 95 | 28 × 95 | 28 × 120 | 28 × 145 | 33 × 145 |
|---------|-----------------------|-----------------------|-----------------------|------------------|----------|
| Planks | 45 × 95 | 45 × 120 | 45 × 145 | 45 × 170 | 45 × 195 |
| Battens | 21×45 smooth | 42 × 42 / 28 diagonal | 28 × 68 Parallelogram | 45 × 120 railing | |

Sawn boards, planks, and battens

| Boards | 19 × 100 | 22 × 100 | 25 × 100 | 38 × 150 |
|---------|----------|----------|------------------|----------|
| Battens | 22 × 50 | 25 × 50 | 50 × 50 triangle | |

Frame materials

| Sawn planks | 50 × 100 | 50 × 125 | 50 × 150 | 50 × 200 | | | |
|---------------------------|----------|----------------|-----------|-----------|-----------------|------------------|-----------|
| Accurate dimension planks | 48 × 48 | 48×73 | 48 × 98 | 48 × 123 | 48×148 | 48 × 173 | 48 × 198 |
| Sawn beams | 75 × 75 | 75 × 150 | 75 × 200 | 100 × 100 | 125 × 125 | 150×150 | 200 × 200 |
| Gluelam timber | 70 × 70 | 90 × 90 | 115 × 115 | | | | |

Other products

| C24 strength graded timber | 48 × 98 | 48 × 123 | 48×148 | 48 × 173 | 48 × 198 | 48×220 |
|----------------------------|----------------|----------|-----------------|----------|----------|-----------------|
| Other planed timber | 20×48 | 23 × 48 | 30 × 48 | 48 × 48 | 48 × 73 | |

Fence posts, sharpened

| mm | ø 60 | ø 80 | ø 100 |
|------|------|------|-------|
| 1500 | × | | |
| 1800 | × | × | |
| 2100 | × | × | |
| 2400 | | × | |
| 3000 | | × | × |

PrimaTimber impregnated timber products are pressure treated in accordance with the Nordic Wood Preservation Council (Nordiska Tärskyydsrådet, NTR) requirements in class A or AB. Impregnated timber is meant only for outdoor use, it must not be used indoors.

